



Our Reality: Current Tobacco Use

NANCY AMERSON

CHRONIC DISEASE EPIDEMIOLOGIST

ILLINOIS DEPARTMENT OF PUBLIC HEALTH

Objectives



IDENTIFY SOURCES OF
TOBACCO DATA ACROSS
THE LIFESPAN




DESCRIBE TOBACCO USE
PATTERNS BY
DEMOGRAPHICS.




DESCRIBE RECENT, LOCAL
TOBACCO USE DATA
FROM BRSS COUNTY
ROUND 6.

Tailored for you



★ Regional ITFC Grant Lead Agencies



Clay County Health Department



Egyptian Health Department



Jackson County Health Department

Data Sources

QUERY SITES

IQUERY (LOCAL LEVEL)

PUBLIC HEALTH COMMUNITY MAP (COUNTY)

YOUTH ONLINE- YRBS (STATE)

BRFSS (COUNTY)

DATA REPORTS

ILLINOIS YOUTH SURVEY (COUNTY)

PRAMS (STATE)

SUBSTANCE ABUSE AND MENTAL HEALTH SERVICES
ADMINISTRATION- TWO SURVEYS(STATE)

<https://iquery.illinois.gov/iquery/>

The screenshot shows a web browser window with the URL <https://iquery.illinois.gov/iquery/>. The browser's address bar and search bar are visible at the top. Below the browser window, the website's header features the Illinois Department of Public Health logo and the "IQuery" title. A navigation menu includes links for Home, IPLAN Documents, Data Query, Data Reports, Hospital Data, and Health Links. The main content area is titled "Home" and contains a welcome message: "Welcome to IQuery, your home for community health data". Below this, there are three prominent links: "Launch a Data Query" in blue, "View a County Report" in red, and "Substance Abuse Data Query" in purple. At the bottom of the page, a paragraph of text explains that IQuery is a web-based community health data query system maintained by the Illinois Department of Public Health, and it provides information on how to access the data and how to provide feedback.

https://iquery.illinois.gov/iquery/

Search...

bis.gov x IQuery: Home x

vert Select

gle State of Illinois eTime Be... Enterprise Vault Search LARGE File Transfer REDCap BOX IDPH IL BRFSS IDPH Asthma Tableau Server Maintenance ClearPoint Strategy WISQARS Data Visualization

Illinois Department of **PUBLIC HEALTH** **IQuery**

Home IPLAN Documents Data Query Data Reports Hospital Data Health Links

Home

Welcome to IQuery, your home for community health data

Launch a Data Query

View a County Report

Substance Abuse Data Query

IQuery is a web-based community health data query system maintained by the Illinois Department of Public Health. It has data from multiple sources and can be accessed by most browsers. If you do not see what you are looking for, or if you have questions or suggestions related to this site, please send us [feedback](#). User feedback is used to improve and expand IQuery.

ER Chronic Conditions Hypertension ICD10

Source: IDPH Discharge Data

Description: Code group I10 - I16.



Graph This

Area	Year(s)	Count	Rate
Illinois	FFY2016	797,488	37.0
Franklin	FFY2016	4,269	38.1
Williamson	FFY2016	8,152	41.1

Rate Type: Per 100 ER Chronic Conditions All CC ICD10. Formula: .

ER Chronic Conditions Ischemic Heart Disease ICD10

Source: IDPH Discharge Data

Description: Code group I25.



Graph This

Area	Year(s)	Count	Rate
Illinois	FFY2016	152,152	7.1
Franklin	FFY2016	1,100	9.8
Williamson	FFY2016	1,870	9.4

Rate Type: Per 100 ER Chronic Conditions All CC ICD10. Formula: .

ER Chronic Conditions Stroke ICD10

Source: IDPH Discharge Data

Description: Code group I60 - I69.



Graph This

Area	Year(s)	Count	Rate
Illinois	FFY2016	29,463	1.4
Franklin	FFY2016	143	1.3
Williamson	FFY2016	195	1.0

Rate Type: Per 100 ER Chronic Conditions All CC ICD10. Formula: .

Top Health Events

Select the report you wish to view from the menu below.

[Leading Causes of Death](#)

Description: This report lists the most frequently occurring events or indicators for a particular health category. For example, the Leading Causes of Death will include the most frequent causes of death for a particular geographic area for a particular period of time. As more indicators are added in IQuery, they will be included in this report.

Geographic Area Type: ▼

Geographic Area: ▼

Reporting Period Type: ▼

Reporting Period: ▼

Number of Results: ▼

Run Report

[Print This Report](#)




Top 10 Leading Causes of Death for Clay in 2018

Indicator Name	Total
Deaths by diseases of heart	54
Deaths by malignant neoplasms	41
Deaths by chronic lower respiratory diseases	17
Deaths by cerebrovascular diseases	6
Deaths by accidents	5
Deaths by diabetes mellitus	5
Deaths by intentional self-harm (suicide)	4
Deaths by parkinsons's disease	3
Deaths by pneumonitis due to solids and liquids	3
Deaths by influenza and pneumonia	3

<http://www.healthcarereportcard.illinois.gov/maps>

Illinois Department of Public Health JB Pritzker, Governor

Illinois Hospital Report Card and Consumer Guide to Health Care



Return to IDPH Online Report Card Home **Map Home** About Glossary Contact Methodology Help

Illinois Public Health Community Map

Welcome!

[View Illinois Public Health Community Map](#)

Note: users with Internet Explorer 8 and below will need to download a modern browser (Internet Explorer 9 or 10, Chrome, FireFox, or Safari) in order to view the map.


The purpose of this Web site is to make information about the quality of health in Illinois communities available to the public, and highlight socioeconomic and racial/ethnic disparities that may exist. It also examines the issue of access to health care. The Illinois Department of Public Health promotes the use of open data as a platform for ideas, advocacy, planning and policy.

Explore the Map for data about:

- Asthma
- Behavioral Health
- Diabetes
- Emergency Department Use
- HIV/AIDS
- Maternal and Child Health
- Preventable Hospitalizations
- Opioid & Heroin

All Opioid/Heroin data can be accessed via the IDPH Opioid Data Dashboard by clicking the link below.

<https://idph.illinois.gov/OpioidDataDashboard/>



More Information

- [Illinois Public Health Community Map](#)
- [How To Use This Site](#)
- [What's New](#)
- [Access to Health Care](#)
- [What is Primary Care?](#)
- [What is Public Health?](#)
- [The Social Determinants of Health](#)
- [Health Disparity, Health Equity, Health Inequity](#)
- [Disparities in Utilization of Minimally Invasive Breast Biopsy](#)
- [Emergency Department Utilization Trends](#)
- [Illinois Stroke Data Report](#)
- [Mental Health Hospitalizations Among Women of Child Bearing Age](#)
- [Infant Mortality Toolkit: Tackling the Root Causes](#)
- [HIV Factsheets](#)

Additional Resources

1. [National Partnership for](#)

Explore the Map for data about:

- Asthma
- Behavioral Health
- Diabetes
- Emergency Department Use
- HIV/AIDS
- Maternal and Child Health
- Preventable Hospitalizations
- Opioid & Heroin

Select a category:

Severe Housing Problems

About This Measure

Percentage of households with at least 1 of 4 housing problems: overcrowding, high housing costs, or lack of kitchen or plumbing facilities.

Reporting date range: 2011-01-01 - 2015-12-31


Select a measure:

Percentage of households with severe housing problems



Statewide:
17.85%


Click a region to zoom in



JACKSON DEMOGRAPHICS

[< return to statewide](#)


Age Breakdown



Median Household Income



Race / Ethnicity



- White
- Black / African American
- Asian
- Hispanic
- Other race / ethnicity

[Map](#)

Payer Mix



- Medicaid
- Medicare
- Other Public Financing
- Private Insurance
- Self Pay

Education



- High school
- College degree
- No diploma
- Some college
- Graduate degree

https://nccd.cdc.gov/youthonline



High School YRBS

CDC > YRBSS

Youth Online

[Contact Us](#)

[Help](#)



Youth Online lets you analyze national, state, and local Youth Risk Behavior Surveillance System (YRBSS) data from high school and middle school surveys conducted during 1991 – 2017 and Global School-based Student Health Survey (GSHS) data from students aged 13-17 conducted during 2003 – 2015. YRBSS data can be filtered and sorted on the basis of race/ethnicity, sex, academic grade, and sexual orientation while GSHS data can be filtered and sorted on sex and age. Additionally you can filter and sort both surveys by location and year, create customized tables, maps, graphs, and perform statistical tests by location and health topic. Please see [Youth Online Help](#) for more information about using all Youth Online capabilities.


View data from: High School YRBS Middle School YRBS GSHS

View all responses for one location

View survey results for the United States, a state, a territory or selected location. To view U.S. data, click the View U.S. Data link. To choose a specific location, make a selection in the dropdown menu or click a location on the map.

Select Location:

State, Local Site, Territory, or Other [View U.S. Data](#)




View one question for all locations

View results for one question for all states and locations that have data available. To choose a question, first select a Health Topic.


Select a Health Topic:

[Unintentional Injuries and Violence](#)

 [Tobacco Use](#)


 [Alcohol and Other Drug Use](#)

 [Sexual Behaviors](#)

 [Dietary Behaviors](#)

 [Physical Activity](#)

 [Obesity, Overweight, and Weight Control](#)

 [Other Health Topics](#)

2017 YRBS Results

Ever Used An Electronic Vapor Product
 (including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs,
 and hookah pens)
 Illinois, High School Youth Risk Behavior Survey, 2017

Total	Female	Male
41.4 (36.6-46.3)	41.2 (36.2-46.4)	41.3 (35.4-47.5)
4,759 [†]	2,490	2,234

Ever Tried Cigarette Smoking
 (even one or two puffs)
 Illinois, High School Youth Risk Behavior Survey, 2017

Total	Female	Male
27.3 (24.2-30.7)	25.6 (22.7-28.9)	28.4 (24.0-33.2)
4,615 [†]	2,413	2,170

Currently Used An Electronic Vapor Product
 (including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs,
 and hookah pens, on at least 1 day during the 30 days before the survey)
 Illinois, High School Youth Risk Behavior Survey, 2017

Total	Female	Male
13.2 (10.0-17.4)	11.9 (8.6-16.2)	14.1 (10.3-19.0)
4,214 [†]	2,216	1,959

Currently Smoked Cigarettes
 (on at least 1 day during the 30 days before the survey)
 Illinois, High School Youth Risk Behavior Survey, 2017

Total	Female	Male
7.6 (6.0-9.7)	6.5 (5.4-7.9)	8.3 (5.6-12.1)
4,649 [†]	2,441	2,171

http://www.idph.state.il.us/brfss/

Illinois Department of Public Health

ILLINOIS BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

BRFSS HOME
STRATA MAP
STATE & STRATA DATA
COUNTY DATA
FAQs
CONTACT US

Questionnaires ▼

Other Links

[IDPH Web Site](#)
[IPLAN Data System](#)

Last Updated
May 31, 2019

Visit count since
March 1, 2002
143897

Users Online: **1**

County Level Prevalence Data

Frequencies

Round Round 5 (2010-2014) ▼

Topic Tobacco ▼

County Williamson ▼ Go

Demographic Cross-tabulations

Select a category from Tobacco smoking status ▼

Select county Williamson (Franklin-Williamson) ▼

Go

Printer Friendly | Note: For Round 5: Franklin-Williamson is a multiple county area. Table includes data for two counties

Tobacco					
2010 Franklin/Williamson County Round 5 Illinois County BRFS					
		Count	Col %	Confidence Interval %	Unweighted Count
SMOKING STATUS	smoker	22,260	27.5%	20.3-36.1%	118
	former smoker	20,703	25.6%	20.7-31.2%	194
	non-smoker	37,946	46.9%	39.9-54.0%	319
Total		80,909	100.0%		631
STOPPED SMOKING FOR ONE DAY OR MORE PAST 12 MONTHS	yes	*	*	*	65
	no	*	*	*	53
Total					118
LAST SMOKED REGULARLY	5 years or less	5,371	26.6%	18.0-37.5%	38
	more than 5 years ago	14,805	73.4%	62.5-82.0%	151
Total		20,175	100.0%		189
USE SMOKELESS TOBACCO NOW	Yes	8,016	9.9%	5.0-18.7%	25
	No	72,959	90.1%	81.3-95.0%	606
Total		80,975	100.0%		631

2010 Franklin/Williamson County Round 5 Illinois County BRFS
*Confidence Intervals of

± 12.5% or more and Unweighted Counts of 5 or less do not meet standards of reliability.

Have you smoked at least 100 cigarettes in your entire life?
Do you now smoke cigarettes everyday, some days, or not at all?

Round 5 2010 Franklin/Williamson County Adults		SMOKING STATUS								
		smoker			former smoker			non-smoker		
		Count	Row %	Unwt Count	Count	Row %	Unwt Count	Count	Row %	Unwt Count
AGE OF RESPONDENT	18-24	*	*	2	*	*	2	*	*	9
	25-44	8,885	34.4%	18	4,556	17.6%	21	12,395	48.0%	45
	45-64	9,502	32.5%	66	8,203	28.1%	73	11,533	39.4%	111
	65+	1,506	8.4%	32	7,344	41.1%	98	9,003	50.4%	154
Total	22,260	27.5%	118	20,703	25.6%	194	37,946	46.9%	319	
RACIAL CATEGORIES	white	22,004	28.0%	113	19,698	25.0%	188	37,007	47.0%	312
	non-white	*	*	4	*	*	6	*	*	5
Total	22,232	27.5%	117	20,703	25.6%	194	37,876	46.9%	317	
SEX OF RESPONDENT	male	10,770	27.7%	45	12,098	31.1%	96	16,023	41.2%	93
	female	11,489	27.3%	73	8,606	20.5%	98	21,923	52.2%	226
Total	22,260	27.5%	118	20,703	25.6%	194	37,946	46.9%	319	
INCOME LEVEL	< \$15,000	5,717	53.6%	28	2,037	19.1%	25	2,903	27.2%	42
	\$15-35,000	9,962	39.4%	37	6,016	23.8%	68	9,280	36.7%	99
	\$35-50,000	1,536	12.8%	22	4,661	38.9%	35	5,781	48.3%	47
	> \$50,000	4,808	16.4%	25	6,561	22.4%	55	17,912	61.2%	106
Total	22,024	28.5%	112	19,274	25.0%	183	35,876	46.5%	294	
EDUCATION LEVEL	< high school graduate	2,250	26.5%	16	1,771	20.8%	23	4,476	52.7%	34
	high school graduate	8,518	30.5%	40	7,678	27.5%	79	11,765	42.1%	113
	some college	9,844	37.7%	49	7,966	30.5%	56	8,284	31.7%	85
	college graduate	1,647	9.0%	13	3,289	17.9%	36	13,421	73.1%	87
Total	22,260	27.5%	118	20,703	25.6%	194	37,946	46.9%	319	
EMPLOYMENT STATUS	employed	9,466	25.8%	39	8,388	22.9%	66	18,814	51.3%	116
	out of work	*	*	6	*	*	8	*	*	15
	homemaker/student	2,953	25.9%	10	1,077	9.4%	13	7,376	64.7%	39
	retired/unable to work	7,237	26.9%	63	10,096	37.5%	107	9,606	35.7%	149
Total	22,260	27.5%	118	20,703	25.6%	194	37,946	46.9%	319	
HISPANIC/LATIN ORIGIN	yes	*	*		*	*	2	*	*	4
	no	22,260	28.3%	118	20,410	26.0%	192	35,935	45.7%	311
Total	22,260	27.6%	118	20,703	25.7%	194	37,687	46.7%	315	
MARITAL STATUS	married	7,541	16.6%	49	14,445	31.8%	111	23,369	51.5%	173
	widowed	1,347	19.1%	17	1,763	25.0%	42	3,937	55.9%	82
	divorced/separated	5,569	54.4%	35	2,354	23.0%	27	2,306	22.5%	33
	never married	*	*	11	*	*	12	*	*	25
	member of unmarried couple	*	*	6	*	*	2	*	*	4
Total	22,260	27.5%	118	20,703	25.6%	194	37,911	46.9%	317	
DISABILITY	yes	10,790	35.6%	61	7,860	26.0%	73	11,631	38.4%	121
	no	11,470	22.7%	57	12,843	25.4%	121	26,315	52.0%	198
Total	22,260	27.5%	118	20,703	25.6%	194	37,946	46.9%	319	

IDPH, ICHS, 2010 Illinois BRFSS Unwt counts of 5 or less or row totals of 50 or less do not meet standards of reliability.

What do we know about **smoking prevalence** in southern Illinois?

Significantly **HIGHER** prevalence among:



Adults
25-64



Men



Low Income
<\$35,000



Unmarried



Out of/
unable to
work




Less than
High School



Renters

Current Smokers



What do we know about **smokeless prevalence** in southern Illinois?

Significantly **HIGHER** prevalence among:



Adults
18-44



Men




White
Non-Hispanic



Employed

Use Smokeless



What do we know about **e-cigarette prevalence** in southern Illinois?

Significantly **HIGHER** prevalence among:



Adults
18-64



Low Income




Out of/
unable to work



Renters

Prevalence of Cigarette Use and E-cigarette Use Among Adults.


Prevalence of Cigarette Use and E-cigarette Use Among Adults.



<https://iys.cprd.illinois.edu/>

UNIVERSITY OF ILLINOIS
URBANA-CHAMPAIGN • CHICAGO • SPRINGFIELD

CENTER FOR PREVENTION RESEARCH & DEVELOPMENT

 [LOGIN](#)



ILLINOIS YOUTH SURVEY

[HOME](#)
[ABOUT CPRD](#)
[RECRUITING](#)
[IN THE NEWS](#)
[RESOURCES](#)

[ABOUT SURVEY](#)

[REGISTER](#)

[CONDUCTING SURVEY](#)

[SURVEY RESULTS](#)

[FAQS](#)

[CONTACT US](#)

Surveying the health and social indicators of Illinois youth since 1993



**BULLYING. DEPRESSION.
DRUG USE. SEE HOW YOUR
SCHOOL COMPARES.**


ANNOUNCEMENTS

- » **Registration for the 2020 IYS is open!**
[REGISTER HERE.](#)
- » **Westside Black Elected Officials**




2018 Cigarette Use by grade


8th Grade



10th Grade



12th Grade




Cigarette Use in the Past 30 Days






2018 E-cigarette Use by Grade


8th Grade



10th Grade



12th Grade



E-cigarette Use in the Past 30 days



12 counties have available data in 2018 for all grades

4 counties have data for at least one grade


IYS 2018 Cigarette Use by County

County Name	Public School Student Representation		
	8th	10th	12th
Alexander	32%	43%	47%
Calhoun	0%	0%	0%
Clay	54%	50%	12%
Crawford	62%	26%	21%
Edwards	23%	0%	0%
Effingham	7%	20%	18%
Fayette	0%	0%	0%
Franklin	80%	72%	77%
Gallatin	67%	78%	58%
Hamilton	90%	75%	79%
Hardin	76%	83%	88%
Jackson	46%	21%	0%
Jasper	0%	0%	0%
Jefferson	39%	0%	0%
Johnson	58%	51%	54%

IYS 2018 Cigarette Use by County


County Name	Public School Student Representation		
	8th	10th	12th
Lawrence	40%	75%	35%
Marion	47%	40%	33%
Massac	84%	74%	71%
Pope	73%	58%	69%
Pulaski	78%	67%	51%
Richland	73%	0%	0%
Saline	78%	70%	81%
St. Clair	19%	37%	18%
Union	70%	68%	54%
Wabash	97%	88%	85%
Washington	47%	0%	0%
Wayne	0%	0%	0%
White	86%	76%	70%
Williamson	21%	36%	23%

2020 Registered Schools Per County 2/17/2020



Pregnancy Risk Assessment Monitoring System (PRAMS)

*The best source of data on Illinois
mothers and babies*



PRAMS Results and ITFC Regional Counties

Ran PRAMS data to get results for ITFC regional counties


Compared ITFC results to results from PRAMS National Center for Health Statistics (NCHS) rural/urban variable

Rates for NCHS rural group are similar to ITFC community rates and have the proper weighting factor applied – cannot apply weighting to ITFC communities

Rural group data is representative of what is happening in your communities


Cigarette Smoking


Smoking Before, During, and After Pregnancy - 2017



E-cigarette Use


E-cig Use Before and During Pregnancy - 2017





Advised to Quit Smoking

During a Prenatal Visit - Healthcare Worker Advised to Quit Smoking - 2017



What do we know about rural women with pregnancy and tobacco use?

Rural women are **more likely** than urban women to...



Smoke in the past two years.



Smoke before, during, and after pregnancy.



Use e-cigarettes in the past two years.



Use e-cigarettes during the last 3 months of pregnancy.

Substance Abuse and Mental Health Services Administration

2017 National Mental Health Services Survey (N-MHSS)

All known facilities in the United States, both public and private, that **provide mental health treatment services to people with mental illness.**

2018 National Survey of Substance Abuse Treatment Services (N-SSATS)

All facilities in the United States, both public and private, that **provide substance abuse treatment.**

<https://www.samhsa.gov/data>

Table 3.8b. Mental health treatment facilities offering specific services and practices, by Census region and state or jurisdiction: Percent, 2017 (continued)

Census region and state or jurisdiction ¹	Total number of facilities	Percent of facilities ²													
		Specific services and practices													
		Vocational rehabilitation services	Supported employment	Therapeutic foster care	Legal advocacy	Psychiatric emergency walk-in services	Suicide prevention services	Consumer-run (peer support) services	Screening for tobacco use	Smoking/tobacco cessation counseling	Nicotine replacement therapy	Non-nicotine cessation medications	Other	None	
Total	11,582	15.9	16.9	4.8	5.2	31.0	57.0	24.6	51.5	39.1	25.6	22.8	1.5	1.9	
Census region³															
Northeast	2,630	20.1	15.4	3.6	6.5	25.7	52.6	22.9	61.3	48.4	31.4	30.1	1.1	2.5	
South	3,456	10.9	16.2	5.2	4.3	38.7	60.2	24.0	49.4	36.9	26.2	21.7	1.4	1.9	
Midwest	2,227	12.2	17.7	4.2	5.7	22.1	51.7	20.5	49.7	37.9	24.5	22.0	1.8	2.0	
West	2,077	12.2	17.7	4.2	5.7	22.1	51.7	20.5	49.7	37.9	24.5	22.0	1.8	2.0	
State or jurisdiction															
Alabama	100	14.3	14.3	14.3	14.3	14.3	14.3	14.3	14.3	14.3	14.3	14.3	14.3	14.3	
Alaska	11	11.6	11.6	11.6	11.6	11.6	11.6	11.6	11.6	11.6	11.6	11.6	11.6	11.6	
Arizona	100	32.8	32.8	32.8	32.8	32.8	32.8	32.8	32.8	32.8	32.8	32.8	32.8	32.8	
Arkansas	100	9.6	9.6	9.6	9.6	9.6	9.6	9.6	9.6	9.6	9.6	9.6	9.6	9.6	
California	100	32.0	32.0	32.0	32.0	32.0	32.0	32.0	32.0	32.0	32.0	32.0	32.0	32.0	
Colorado	100	42.7	42.7	42.7	42.7	42.7	42.7	42.7	42.7	42.7	42.7	42.7	42.7	42.7	
Connecticut	100	17.6	17.6	17.6	17.6	17.6	17.6	17.6	17.6	17.6	17.6	17.6	17.6	17.6	
Delaware	100	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	
District of Columbia	100	27.0	27.0	27.0	27.0	27.0	27.0	27.0	27.0	27.0	27.0	27.0	27.0	27.0	
Florida	409	10.0	10.7	9.5	3.0	42.9	62.5	22.0	47.8	37.1	27.1	22.4	1.9	1.9	
Georgia	200	10.5	23.5	6.5	3.0	42.9	62.5	33.5	46.0	29.0	18.0	15.5	2.0	1.5	
Hawaii	35	11.4	11.4	--	11.4	42.9	62.5	34.3	62.9	62.9	40.0	42.9	--	--	
Idaho	146	10.3	7.5	2.1	4.1	34.2	59.6	38.4	24.0	18.5	10.3	13.0	1.4	--	
Illinois	389	13.4	18.3	4.4	8.0	36.0	60.7	22.4	43.4	32.6	24.7	20.8	2.6	1.3	
Indiana	275	15.3	24.4	3.3	1.8	45.5	68.0	16.4	76.4	58.2	39.6	36.0	0.7	0.4	
Iowa	150	7.3	6.7	2.0	2.7	28.0	40.0	26.0	45.3	30.0	22.7	17.3	2.7	5.3	
Kansas	123	13.8	30.1	1.6	4.9	37.4	62.6	22.0	35.0	22.8	19.5	14.6	0.8	2.4	
Kentucky	208	11.5	30.8	10.6	1.4	54.3	80.3	32.7	53.4	26.4	19.2	12.5	0.5	1.0	
Louisiana	176	8.0	6.3	--	9.7	31.8	62.5	21.0	56.8	45.5	39.2	34.1	0.6	4.0	
Maine	186	14.5	8.1	10.8	2.7	17.2	33.3	16.1	54.8	35.5	14.0	15.1	2.7	1.1	
Maryland	264	18.9	15.2	3.0	4.2	22.7	47.3	18.6	47.0	37.9	21.2	20.8	2.3	1.5	
Massachusetts	315	11.7	9.2	2.2	3.8	17.8	36.8	15.6	50.8	36.5	26.3	24.8	0.6	3.5	
Michigan	337	17.2	25.5	6.5	6.2	37.4	56.7	33.2	52.2	43.6	28.2	25.8	0.9	3.0	
Minnesota	173	8.7	21.4	6.9	2.9	41.0	62.4	35.3	39.3	30.6	21.4	15.0	1.2	0.6	
Mississippi	212	16.5	16.5	4.7	4.2	33.5	55.2	30.2	67.5	48.1	34.0	28.8	0.5	1.4	
Missouri	224	12.9	12.9	4.0	3.6	17.4	55.4	22.3	56.3	41.1	28.6	26.3	1.8	2.2	

In Illinois mental health treatment facilities:

- 43.3% screen for tobacco use
- 32.6% offer smoking/tobacco cessation counseling
- 24.7% offer nicotine replacement therapy
- 20.8% offer non-nicotine cessation medications

Continued. See notes at end of table.

Table 4.5b. Type of assessment and pre-treatment services offered by facilities, by state or jurisdiction: Percent, 2018

State or jurisdiction ¹	Percent ²								
	Number of facilities	Assessment and pre-treatment services						Nicotine replacement	Non-nicotine smoking/tobacco cessation medications
		Screening for substance abuse	Screening for mental health disorders	Comprehensive substance abuse assessment or diagnosis	Comprehensive mental health assessment or diagnosis	Screening for tobacco use	Outreach to Smoking cessation counseling		
Total	14,809	96.1	74.8	93.2	52.7	67.0	49.8	28.0	22.3
Alabama						53.8	42.4	12.1	8.3
Alaska						83.5	60.4	26.4	20.9
Arizona						65.8	42.5	30.0	29.0
Arkansas						63.9	48.6	18.8	11.1
California						51.8	40.9	21.5	17.6
Colorado						61.4	41.1	17.6	17.6
Connecticut						77.7	57.3	42.7	36.8
Delaware						60.0	37.5	22.5	12.5
District of Columbia						45.8	45.8	33.3	20.8
Florida						60.1	48.1	35.8	25.3
Georgia						46.7	36.1	21.4	18.7
Hawaii	168	96.4	48.2	94.0	32.6	82.7	67.3	8.9	6.5
Idaho	133	97.7	92.5	97.0	71.4	51.9	35.3	8.3	12.8
Illinois	679	96.8	70.7	92.3	47.4	57.3	31.8	18.1	16.1
Indiana	368	95.4	79.1	91.3	60.1	63.3	43.2	28.8	26.4
Iowa	167	95.8	76.0	97.6	41.9	83.2	54.5	28.7	18.0
Kansas	179	98.9	55.3	96.6	41.9	44.1	33.5	20.1	16.8
Kentucky	418	98.3	72.7	93.8	52.6	60.5	31.6	16.3	9.8
Louisiana	145	98.6	71.7	95.2	47.6	73.8	62.1	51.7	39.3
Maine	181	97.8	82.9	95.6	55.8	77.9	57.5	23.8	17.7
Maryland	413	96.9	73.4	96.4	51.3	78.7	47.0	23.0	16.5
Massachusetts	414	94.7	71.0	91.3	49.8	87.0	78.0	38.2	29.2
Michigan	465	98.1	82.2	93.8	58.1	60.9	40.6	21.3	16.6
Minnesota	378	91.0	67.7	97.6	46.6	59.5	39.7	25.1	19.3
Mississippi	98	99.0	86.7	90.8	70.4	51.0	48.0	33.7	22.4
Missouri	273	97.4	75.8	93.4	52.0	70.3	48.7	30.4	26.4
Montana	72	97.2	87.5	97.2	59.7	65.3	52.8	27.8	25.0
Nebraska	124	92.7	82.3	87.1	54.0	66.9	44.4	25.8	21.8

In Illinois substance abuse treatment facilities:

- 57.3% screen for tobacco use
- 57.3% offer smoking/tobacco cessation counseling
- 18.1% offer nicotine replacement therapy
- 16.1% offer non-nicotine cessation medications

57.3 31.8 18.1 16.1

Continued. See notes at end of table.

In review

QUERY SITES

IQUERY (LOCAL LEVEL)

PUBLIC HEALTH COMMUNITY MAP (COUNTY)

YOUTH ONLINE- YRBS (STATE)

BRFSS (COUNTY)

DATA REPORTS

ILLINOIS YOUTH SURVEY (COUNTY)

PRAMS (STATE)

SUBSTANCE ABUSE AND MENTAL HEALTH SERVICES
ADMINISTRATION- TWO SURVEYS (STATE)

Thank you

NANCY AMERSON
NANCY.AMERSON@ILLINOIS.GOV
217-558-2637



<http://www.dph.illinois.gov/data-statistics/prams>

<http://www.cdc.gov/prams/index.htm>

For more information contact

Julie Doetsch, MA

(217) 785-1064 x 5

Julie.Doetsch@illinois.gov